Distributed Placement of Service Facilities in Large-Scale Networks



Georgios Smaragdakis, Nikolaos Laoutaris, Azer Bestavros, **Konstantinos Oikonomou and Ioannis Stavrakakis**

Overview

Problem: Estimate the number and location of servers for an application

- Uncapacitated k-median:

min $C(V,s,k) = \sum s(v_j) \cdot d(v_j,m(v_j))$

- Uncapacitated Facility Location::

$\min C(V, s, f) =$	$\sum f(v_j) +$	$-\sum s(v_j) \cdot d(v_j, m(v_j)) \cdot d(v_j) = \sum s(v_j) \cdot d(v_j) + \sum s(v_j) \cdot d(v_j) = \sum s(v_j) \cdot d(v_j) + \sum s(v_$
	$\forall v_j \in F$	$\forall v_j \in V$

A Limited Horizon Approach to Distributed Facility Location



http://csr.bu.edu/dfl

ComputerScience

nent	Key Challenges
 Generic Service Host Service Facility Flash Crowd 	An ideal deployment should be:
	- Scalable
	- Distributed
	- Oblivious to Network Topology
	- Unaware (a-priori) of the client
d patches	- Easily Reconfigurable

Ioannis Stavrakakis and Azer Bestavros. IEEE INFOCOM 2007

