

Communication & Computation


A need for a new unifying theory

Madhu Sudan
Microsoft, New England

Theory of Computing



- Turing architecture
→ von Neumann architecture



Theory of Communication

- Shannon's architecture for communication over noisy channel




- Yields reliable communication
 - (and storage (= communication across time)).

Turing ↔ Shannon


■ Turing

- Assumes perfect storage
- and perfect communication
- To get computation



■ Shannon

- Assumes computation
- To get reliable storage + communication



■ Chicken vs. Egg?


- Fortunately both realized!

1940s – 2000:

- Theories developed mostly independently.
 - Shannon abstraction (separating information theoretic properties of encoder/decoder from computational issues) – mostly successful.
 - Turing assumption (reliable storage/communication) – mostly realistic.

Modern Theory (of Comm. & Comp.)

- Network (society?) of communicating computers



- Diversity of
 - Capability
 - Protocols
 - Objectives
 - Concerns

Modern Challenges (to communication)

- Nature of communication is more complex.
 - Channels are more complex (composed of many smaller, potentially *clever* sub-channels)
 - Alters nature of errors
 - Scale of information being stored/communicated is much larger.
 - Does scaling enhance reliability or decrease it?
 - The Meaning of Information
 - Entities constantly evolving. Can they preserve meaning of information?

Part I: Modeling errors

Shannon (1948) vs. Hamming (1950)

- q-ary channel:
 - Input: n element string Y over $\Sigma = \{1, \dots, q\}$
 - Output: n element string \hat{Y} over $\Sigma = \{1, \dots, q\}$
- Shannon: Errors = Random
 - $\hat{Y}_i = Y_i$ w.p. $1 - p$, uniform in $\Sigma - \{Y_i\}$ w.p. p .
 - $p < 1 - 1/q \Rightarrow$ Channel can be reliable.
 - $q \rightarrow \infty \Rightarrow p \rightarrow 1$.
- Hamming: Errors = Adversarial
 - p -fraction of i 's satisfy $\hat{Y}_i \neq Y_i$
 - p can never exceed $1/2$!

Which is the right model?

- 60 years of wisdom ...
 - Error model can be fine-tuned ...
 - Fresh combinatorics, algorithms, probabilistic models can be built ...
 - ... to fit Shannon Model. **Corrects More Errors!**
- An alternative – List-Decoding [Elias '56]!
 - **Decoder** allowed to produce list $\{m_1, \dots, m_l\}$
 - "Successful" if $\{m_1, \dots, m_l\}$ contains m .
 - "60 years of wisdom" \Rightarrow this is good enough!
 - [70s]: Corrects as many adversarial errors as random ones! **Safer Model!**

Challenges in List-decoding!

- Algorithms?
 - Correcting a few errors is already challenging!
 - Can we really correct 70% errors? 99% errors?
 - When an adversary injects them?
 - Note: More errors than data!
- Till 1988 ... no list-decoding algorithms.
 - [Goldreich-Levin '88] – Raised question
 - Gave non-trivial algorithm (for weak code).
 - Gave cryptographic applications.

Algorithms for List-decoding

- [S. '96], [Guruswami + S. '98]:
 - List-decoding of Reed-Solomon codes.
 - Corrected p -fraction error with linear "rate".
- ['98 – '06] Many algorithmic innovations ...
 - [Guruswami, Shokrollahi, Koetter-Vardy, Indyk]
- [Parvaresh-Vardy '05 + Guruswami-Rudra '06]
 - List-decoding of new variant of Reed-Solomon codes.
 - Correct p -fraction error with optimal "rate".

Reed-Solomon List-Decoding Problem

- Given:

- Parameters: n, k, t
- Points: $(x_1, y_1), \dots, (x_n, y_n)$ in the plane
(over finite fields, actually)

- Find:

- All degree k polynomials that pass through t of the n points.
i.e., f such that
 - $\deg(f) \leq k$
 - $|\{i \text{ s.t. } f(x_i) = y_i\}| \geq t$

Decoding by Example + Picture [S. '96]

$$n=14; k=1; t=5$$

Algorithm Idea:


- Find algebraic explanation of *all* points.

$$x^4 - y^4 - x^2 + y^2 = 0$$

- Stare at it!

Factor the polynomial!

$$(x^2 + y^2 - 1)(x + y)(x - y) = 0$$



Decoding Algorithm

- Fact: There is always a degree $2\sqrt{n}$ polynomial thru n points
 - Can be found in polynomial time (solving linear system).
- [80s]: Polynomials can be factored in polynomial time [Grigoriev, Kaltofen, Lenstra]
- Leads to (simple, efficient) list-decoding correcting p fraction errors for $p \rightarrow 1$

Conclusion

- More errors (than data!) can be dealt with ...
 - More computational power leads to better error-correction.

- Theoretical Challenge: List-decoding on binary channel (with optimal (Shannon) rates).
 - Important to clarify the right model.

Part II: Massive Data; Local Algorithms

Reliability vs. Size of Data

- Q: How reliably can one store data as the amount of data increases?



[Shannon]: Can store information at close to “optimal” rate, and prob. decoding error drops exponentially with length of data.

- Surprising at the time?



Decoding time grows with length of data

- Exponentially in Shannon
- Subsequently polynomial, even linear.

- Is the bad news necessary?

Sublinear time algorithmics

- Algorithms don't always need to run in linear time (!), provided ...
 - They have random access to input,
 - Output is short (relative to input),
 - Answers don't have usual, exact, guarantee!
- Applies, in particular, to **Decoder**
 - Given CD, "test" to see if it has (too many) errors? [Locally Testable Codes]
 - Given CD, recover particular block. [Locally Decodable Codes]

Progress [1990-2008]

- Question raised in context of results in complexity and privacy
 - Probabilistically checkable proofs
 - Private Information Retrieval
- Summary:
 - Many non-trivial tradeoffs possible.
 - Locality can be reduced to n^ϵ at $O(1)$ penalty to rate, fairly easily.
 - Much better effects possible with more intricate constructions.
 - [Ben-Sasson+S. '05, Dinur '06]: $O(1)$ -testing with $\text{poly}(\log n)$ penalty in rate.
 - [Yekhanin '07, Raghavendra '07, Efremenko '08]: 3-local decoding with subexponential penalty in rate.
 - [Kopparty-Saraf-Yekhanin '10]: n^ϵ -decoding with rate $1-\delta$.

Challenges ahead

- Technical challenges


- Linear rate testability?
- Polynomial rate decodability?
- Logarithmic time decodability with linear rate?

- Bigger Challenge

- What is the model for the future storage of information?
- How are we going to cope with increasing drive to digital information?

Part III: The Meaning of Information

The Meaning of Bits



- Is this perfect communication?
- What if Alice is trying to send instructions?
 - In other words ... an algorithm
 - Does Bob understand the correct algorithm?
 - What if Alice and Bob speak in different (programming) languages?

Motivation: Better Computing

- Networked computers use common languages:
 - Interaction between computers (getting your computer onto internet).
 - Interaction between pieces of software.
 - Interaction between software, data and devices.
- Getting two computing environments to “talk” to each other is getting problematic:
 - time consuming, unreliable, insecure.
- Can we communicate more like humans do?

Some modelling

- Say, Alice and Bob know different programming languages. Alice wishes to send an algorithm A to Bob.
- **Bad News:** Can't be done
 - For every Bob, there exist algorithms A and A' , and Alices, Alice and Alice', such that Alice sending A is indistinguishable (to Bob) from Alice' sending A'
- **Good News:** Need not be done.
 - From Bob's perspective, if A and A' are indistinguishable, then they are equally useful to him.
- **Question:** What should be communicated? Why?

Progress Report I: Computational Goal

- Bob (weak computer) communicating with Alice (strong computer) to solve hard problem.
- Alice "Helpful" if she can help some (weak) Bob' solve the problem.
- Theorem [Juba & S., STOC 08]: Bob can use Alice's help to solve his problem iff problem is verifiable (for every Helpful Alice).
- "Misunderstanding" = "Mistrust"

Progress Report II: General Goals


- [Goldreich, Juba, S. – ECC 2010]
- Not every goal is computational. Does the [JS] result extend to other settings?
 - First: What do general goals look like?
 - Non-trivial to define (in language-independent form).
 - But can be done.
 - Second: Results extend provided goals are verifiable, and players are "helpful".
 - Definitions can be extended.

Progress Report III: Efficiency?

- One of the main contributions of [JS'08] was a measure of efficiency of "achieving understanding".
- Unfortunately protocol in [JS'08] could be inefficient.
 - [JS'08] proves such inefficiency is inherent.
- [JS – ICS 2011]:
 - New measure of efficiency:
 - Takes into account compatibility of user with server; and "broadmindedness" of server and shows understanding can be achieved efficiently if these parameters are small.

Main Contribution: A new model

Semantic Communication Model
Classical Shannon Model



[Kalai, Khanna, J., S. – ICS 2011] Compression in this setting: Leads to ambiguous, redundant compression

Concluding

- More, complex, errors can be dealt with, thanks to improved computational abilities.
- Need to build/study tradeoffs between global reliability and local computation.
- Meaning of information needs to be preserved!
- Need to merge computation and communication more tightly!

Thank You!