Bibliography

- Adolph, K. E., Eppler, M. A., and Gibson, E. J. (1993). Development of perception of affordances. *Advances in Infancy Research*, 8:51–98.
- Aloimonos, J., Weiss, I., and Bandopadhay, A. (1987). Active vision. *International Journal on Computer Vision*, 2:333–356.
- Arsenio, A., Fitzpatrick, P., Kemp, C., and Metta, G. (2003). The whole world in your hand: Active and interactive segmentation. Accepted for publication in the proceedings of the Third International Workshop on Epigenetic Robotics.
- Aslin, R., Woodward, J., LaMendola, N., and Bever, T. (1996). Models of word segmentation in fluent maternal speech to infants. In Morgan, J. and Demuth, K., editors, *Signal to Syntax: Bootstrapping From Speech to Grammar in Early Acquisition*. Lawrence Erlbaum Associates: Mahwah, NJ.
- Bajcsy, R. (1988). Active perception. *Proceedings of the IEEE*, 76(8):996–1005.
- Ballard, D. (1989). Behavioral constraints on animate vision. *Image and Vision Computing*, 7:1:3–9.
- Ballard, D. H. (1991). Animate vision. Artificial Intelligence, 48(1):57–86.
- Bard, E. and Anderson, A. (1994). The unintelligibility of speech to children: effects of referent availability. *Journal of Child Language*, 21:623–648.
- Basu, S., Essa, I., and Pentland, A. (1996). Motion regularization for model-based head tracking. In *Proceedings of the International Conference on Pattern Recognition*, Vienna, Austria.
- Bazzi, I. and Glass, J. (2000). Modeling out-of-vocabulary words for robust speech recognition. In *Proceedings of the Sixth International Conference on Spoken Language Processing*, Beijing, China.
- Beardsley, P. A. (1998). A qualitative approach to classifying head and eye pose. In *Proceedings of the IEEE Workshop on Applications of Computer Vision*, pages 208–213, Florence, Italy.
- Billard, A. (2001). Imitation: a means to enhance learning of a synthetic proto-language in an autonomous robot. In Dautenhahn, K. and Nehaniv, C. L., editors, *Imitation in Animals and Artifacts*. MIT Press.

- Billard, A. and Dautenhahn, K. (1997). Grounding communication in situated, social robots. Technical Report UMCS-97-9-1, University of Manchester.
- Birchfield, S. (1998). Elliptical head tracking using intensity gradients and color histograms. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, pages 232–237.
- Black, M. and Yacoob, Y. (1995). Tracking and recognizing rigid and non-rigid facial motions using local parametric models of image motion. In *Proceedings of the International Conference on Computer Vision*, pages 374–381.
- Block, N. (1978). Troubles with functionalism. *Perception and Cognition: Issues in the Foundations of Psychology, Minnesota Studies in the Philosophy of Science*, 9:261–325.
- Bloom, P. (2000). How Children Learn the Meaning of Words. Cambridge: MIT Press.
- Blumberg, B. (1996). Old Tricks, New Dogs: Ethology and Interactive Creatures. PhD thesis, MIT.
- Borchardt, G. C. (1993). Causal reconstruction. Technical Report AIM-1403, MIT Artificial Intelligence Laboratory.
- Boykov, Y. and Kolmogorov, V. (2001). An experimental comparison of min-cut/max-flow algorithms for energy minimization in vision. In *Energy Minimization Methods in Computer Vision and Pattern Recognition*, pages 359–374.
- Breazeal, C. (2000). *Sociable Machines: Expressive Social Exchange Between Humans and Robots*. PhD thesis, MIT Department of Electrical Engineering and Computer Science.
- Breazeal, C. and Aryananda, L. (2000). Recognition of affective communicative intent in robot-directed speech. In *Proceedings of the International IEEE/RSJ Conference on Humanoid Robotics*, Cambridge, MA.
- Breazeal, C., Edsinger, A., Fitzpatrick, P., and Scassellati, B. (2001). Active vision for sociable robots. *IEEE Transactions on Systems, Man, and Cybernetics*, A, 31(5):443–453.
- Breazeal, C., Edsinger, A., Fitzpatrick, P., Scassellati, B., and Varchavskaia, P. (2000). Social constraints on animate vision. *IEEE Intelligent Systems*, 15:32–37.
- Breazeal, C. and Fitzpatrick, P. (2000). That certain look: Social amplification of animate vision. In *Proceedings AAAI Fall Symposium, Socially Intelligent Agents The Human in the Loop*, North Falmouth, MA, USA.
- Breazeal, C. and Scassellati, B. (1999). A context-dependent attention system for a social robot. In *Proceedings of the Sixteenth International Joint Conference on Artificial Intelligence*, pages 1146–1151, Stockholm, Sweden.
- Breazeal, C. and Scassellati, B. (2000). Infant-like social interactions between a robot and a human caretaker. *Adaptive Behavior*, 8(1):49–74.
- Breazeal, C. and Velasquez, J. (1998). Toward teaching a robot "infant" using emotive communication acts. In *Proceedings of the Simulated Adaptive Behavior Workshop*.
- Brent, M. and Siskind, J. (2001). The role of exposure to isolated words in early vocabulary development. *Cognition*, 81:B33–B44.

- Brooks, R. A. (1986). A robust layered control system for a mobile robot. *IEEE Journal of Robotics and Automation*, RA-2:14–23.
- Brooks, R. A. (1991a). Intelligence without reason. In *Proceedings of the 1991 International Joint Conference on Artificial Intelligence*, pages 569–595.
- Brooks, R. A. (1991b). Intelligence without representation. *Artificial Intelligence Journal*, 47:139–160. originally appeared as MIT AI Memo 899 in May 1986.
- Brooks, R. A., Breazeal, C., Irie, R., Kemp, C. C., Marjanović, M., Scassellati, B., and Williamson, M. M. (1998). Alternative essences of intelligence. In *Proceedings of the American Association of Artificial Intelligence*, pages 961–968.
- Brooks, R. A., Breazeal, C., Marjanovic, M., and Scassellati, B. (1999). The Cog project: Building a humanoid robot. *Lecture Notes in Computer Science*, 1562:52–87.
- Brooks, R. A. and Stein, L. A. (1994). Building brains for bodies. Autonomous Robots, 1(1):7–25.
- Bullowa, M. (1979). *Before Speech: The Beginning of Interpersonal Communication*. Cambridge University Press, Cambridge, London.
- Burnham, D., Francis, E., Kitamura, C., Vollmer-Conna, U., Averkiou, V., Olley, A., and Paterson, C. (1998). Are you my little pussy-cat? acoustic, phonetic and affective qualities of infant- and pet-directed speech. In *Proceedings of the Fifth International Conference on Spoken Language Processing*, volume 2, pages 453–456.
- Butterworth, G. (1991). The ontogeny and phylogeny of joint visual attention. In Whiten, A., editor, *Natural Theories of Mind*. Blackwell.
- Canny, J. F. (1986). A computational approach to edge detection. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 8(6):34–43.
- Cassell, J., Pelachaud, C., Badler, N., Steedman, M., Achorn, B., Becket, T., Douville, B., Prevost, S., and Stone, M. (1994). Animated conversation: Rule-based generation of facial expression, gesture, and spoken intonation for multiple conversational agents. *SIGGRAPH'94*.
- Chabat, F., Yang, G. Z., and Hansell, D. M. (1999). A corner orientation detector. *Image and Vision Computing*, 17(10):761–769.
- Chapman, D. (1990). Vision, instruction, and action. Technical Report AITR-1204, MIT AI Laboratory.
- Chapman, D. and Agre, P. E. (1987). Pengi: An implementation of a theory of activity. In *Proceedings of the Sixth National Conference on Artificial Intelligence*, pages 268–272.
- Chen, J., Sato, Y., and Tamura, S. (2000). Orientation space filtering for multiple orientation line segmentation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 22(5):417–429.
- Chen, Q., amd T. Shioyama, H. W., and Shimada, T. (1999). 3D head pose estimation using color information. In *Proceedings of the Sixth IEEE International Conference on Multimedia Computing and Systems*, Florence, Italy.
- Cole, R. and Yap, C. (1987). Shape from probing. *Journal of Algorithms*, 8(1):19–38.

- Colombetti, M. and Dorigo, M. (1994). Training agents to perform sequential behavior. *Adaptive Behavior*, 2(3):247–275.
- Connell, J. (1989). A colony architecture for an artificial creature. Technical Report AITR-1151, MIT AI Laboratory.
- Cordea, M., Petriu, E., Georganas, N., Petriu, D., and Whalen, T. (2000). Real-time 2.5D head pose recovery for model-based video-coding. In *Proceedings of the IEEE Instrumentation and Measurement Technology Conference*, Baltimore, MD, USA.
- DeCarlo, D. and Metaxas, D. (1996). The integration of optical flow and deformable models with applications to human face shape and motion estimation. In *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, pages 231–238.
- Deming, W. E. (1993). *The New Economics for Industry, Government, and Education*. MIT Center for Advanced Engineering, Cambridge, Massachusetts.
- Dennett, D. C. (1987). The Intentional Stance. MIT Press.
- Duda, R. and Hart, P. (1973). Pattern Classification and Scene Analysis. Wiley, New York.
- Fasulo, D. (1999). An analysis of recent work on clustering algorithms. Technical report, University of Washington.
- Ferrell, C. (1998). Learning by scaffolding. MIT Ph.D. Thesis Proposal.
- Ferrell, C. and Kemp, C. (1996). An ontogenetic perspective to scaling sensorimotor intelligence. In *Embodied Cognition and Action: Papers from the 1996 AAAI Fall Symposium*. AAAI Press.
- Firby, R. J. (1994). Task networks for controlling continuous processes. In *Proceedings of the Second International Conference on AI Planning Systems*, Chicago IL.
- Fitzpatrick, P. and Metta, G. (2002). Towards manipulation-driven vision. In *IEEE/RSJ Conference* on *Intelligent Robots and Systems*.
- Fogassi, L., Gallese, V., Fadiga, L., Luppino, G., Matelli, M., and Rizzolatti, G. (1996). Coding of peripersonal space in inferior premotor cortex (area F4). *Journal of Neurophysiology*, pages 141–157.
- Folsom, T. C. and Pinter, R. B. (1998). Primitive features by steering, quadrature, and scale. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 20(11):1161–1173.
- Freeman, W. (1992). *Steerable filters and the local analysis of image structure*. PhD thesis, Media Arts and Sciences, MIT.
- Freeman, W. T. and Adelson, E. H. (1991). The design and use of steerable filters. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 13(9):891–906.
- Gallese, V., Fadiga, L., Fogassi, L., and Rizzolatti, G. (1996). Action recognition in the premotor cortex. *Brain*, 119:593–609.
- Gansner, E. R. and North, S. C. (2000). An open graph visualization system and its applications to software engineering. *Software: Practice and Experience*, 30(11):1203–1233.

- Garland, A. and Lesh, N. (2001). Learning hierarchical task models by demonstration. Technical report, Mitsubishi Electric Research Laboratories.
- Gat, E. (1996). ESL: A language for supporting robust plan execution in embedded autonomous agents. In *Plan Execution: Problems and Issues: Papers from the 1996 AAAI Fall Symposium*, pages 59–64. AAAI Press, Menlo Park, California.
- Gibson, J. J. (1977). The theory of affordances. In Shaw, R. and Bransford, J., editors, *Perceiving, acting and knowing: toward an ecological psychology*, pages 67–82. Hillsdale NJ: Lawrence Erlbaum Associates Publishers.
- Glass, J., Chang, J., and McCandless, M. (1996). A probabilistic framework for feature-based speech recognition. In *Proceedings of the International Conference on Spoken Language Processing*, pages 2277–2280.
- Glass, J. and Weinstein, E. (2001). SPEECHBUILDER: Facilitating spoken dialogue systems development. In *Proceedings of the Seventh European Conference on Speech Communication and Technology*, Aalborg, Denmark.
- Goldberg, D. and Mataric, M. J. (1999). Augmented markov models. Technical report, USC Institute for Robotics and Intelligent Systems.
- Goldberg, M. E. (2000). The control of gaze. In Kandel, E. R., Schwartz, J. H., and Jessell, T. M., editors, *Principles of Neural Science*. McGraw-Hill, 4rd edition.
- Goodman, N. (1983). *Fact, Fiction, and Forecast*. Harvard University Press, Cambridge, Massachusetts.
- Gorin, A., Petrovksa-Delacrtaz, D., Riccardi, G., and Wright, J. (1999). Learning spoken language without transcriptions. In *Proceedings of the IEEE Automatic Speech Recognition and Understanding Workshop*, Colorado.
- Granlund, G. H. (1978). In search of a general picture processing operator. *Computer Graphics and Image Processing*, 8(2):155–173.
- Graziano, M. S. A., Hu, X., and Gross, C. G. (1997). Visuo-spatial properties of ventral premotor cortex. *Journal of Neurophysiology*, 77:2268–2292.
- Grice, H. (1974). Logic and conversation. In Cole, P. and Morgan, J., editors, *Syntax and semantics*, volume 3, pages 41–58. Academic Press, New York.
- Grimson, W. E. L. and Huttenlocher, D. P. (1990). On the sensitivity of the Hough transform for object recognition. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 12(3):255–274.
- Haigh, K. Z. and Veloso, M. M. (1998). Planning, execution and learning in a robotic agent. In *Proceedings of the Fourth International Conference on Artificial Intelligence Planning Systems*, pages 120 127.
- Halliday, M. (1975). Learning How to Mean: Explorations in the Development of Language. Elsevier, New York, NY.
- Harnad, S. (2002). Symbol grounding and the origin of language. In Scheutz, M., editor, *Computationalism: New Directions*, pages 143–158. MIT Press.

- Harville, M., Rahimi, A., Darrell, T., Gordon, G., and Woodfill, J. (1999). 3D pose tracking with linear depth and brightness constraints. In *Proceedings of the International Conference on Computer Vision*, pages 206–213.
- Hauser, M. D. (1996). Evolution of Communication. MIT Press.
- Hazen, T. and Bazzi, I. (2001). A comparison and combination of methods for OOV word detection and word confidence scoring. In *Proceedings of the International Conference on Acoustics*, Salt Lake City, Utah.
- Heinzmann, J. and Zelinsky, A. (1997). Robust real-time face tracking and gesture recognition. In *Proceedings of the International Joint Conference on Artificial Intelligence*, volume 2, pages 1525–1530.
- Held, R. and Hein, A. (1963). Movement-produced stimulation in the development of visually-guided behavior. *Journal of Comparative and Physiological Psychology*, 56:872–876.
- Hirschberg, J., Litman, D., and Swerts, M. (1999). Prosodic cues to recognition errors. In *Proceedings of the Automatic Speech Recognition and Understanding Workshop*.
- Horn, B. K. P. (1986). Robot Vision. MIT Press.
- Horprasert, T., Yacoob, Y., and Davis, L. S. (1997). An anthropometric shape model for estimating head orientation. In *Proceedings of the Third International Workshop on Visual Form*, Capri, Italy.
- Horswill, I. (1993). Specialization of Perceptual Processes. PhD thesis, MIT.
- Hu, M. K. (1962). Visual pattern recognition by moment invariants. In *IRE Transactions on Information Theory* 8, pages 179–187.
- Hubel, D. H. and Wiesel, T. N. (1962). Receptive fields, binocular interaction and functional architecture in the cat's visual cortex. *Journal of Physiology*, 160:106–154.
- Hueckel, M. H. (1971). An operator which locates edges in digitized pictures. *Journal of the Association for Computing Machinery*, 18(1):113–125.
- Hurley, S. L. (2001). Perception and action: Alternative views. Synthese, 129:3–40.
- Iacoboni, M., Woods, R. P., Brass, M., Bekkering, H., Mazziotta, J. C., and Rizzolatti, G. (1999). Cortical mechanisms of human imitation. *Science*, 286:2526–2528.
- Jacobs, D. (1996). Robust and efficient detection of convex groups. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 18(1):23–37.
- Jacobs, D., Rokers, B., , and Rudra, A. (2001). Fragment completion in humans and machines. In *Neural Information Processing Systems*.
- Jeannerod, M. (1997). *The Cognitive Neuroscience of Action*. Blackwell Publishers Inc., Cambridge Massachusetts and Oxford UK.
- Jeanrenaud, P., Ng, K., Siu, M., Rohlicek, J., and Gish, H. (1993). Phonetic-based word spotter: Various configurations and application to event spotting. In *Proceedings of the European Conference on Speech Communication and Technology (EUROSPEECH)*.

- Jia, Y.-B. and Erdmann, M. (1998). Observing pose and motion through contact. In *Proceedings of the IEEE International Conference on Robotics and Automation*.
- Johnson, S. P. (in press). Building knowledge from perception in infancy. In Gershkoff-Stowe, L. and Rakison, D., editors, *Building object categories in developmental time*. Hillsdale, Mahwah, NJ.
- Jusczyk, P. (1997). The Discovery of Spoken Language. Cambridge: MIT Press.
- Jusczyk, P. and Aslin, R. (1995). Infants' detection of the sound patterns of words in fluent speech. *Cognitive Psychology*, 29:1–23.
- Kaelbling, L. P., Littman, M. L., and Moore, A. P. (1996). Reinforcement learning: A survey. *Journal of Artificial Intelligence Research*, 4:237–285.
- Kaelbling, L. P., Oates, T., Hernandez, N., and Finney, S. (2001). Learning in worlds with objects. In *AAAI Spring Symposium*.
- Kamp, H. (1981). A theory of truth and semantic representation. In J, G., Janssen, T., and Stokhof, M., editors, *Formal Methods in the Study of Language*, pages 277–322. Mathematical Center Tract 135, Amsterdam.
- Kass, M. and Witkin, A. (1987). Analyzing oriented patterns. *Computer Vision, Graphics, and Image Processing*, 37:362–385.
- Kirkham, N. Z., Slemmer, J. A., and Johnson, S. P. (2002). Visual statistical learning in infancy: evidence of a domain general learning mechanism. *Cognition*, 83(2):B35–B42.
- Kirsh, D. (1995a). Complementary strategies: Why we use our hands when we think. In *Proceedings of the Seventeenth Annual Conference of the Cognitive Science Society*, Hillsdale, NJ. Lawrence Erlbaum.
- Kirsh, D. (1995b). The intelligent use of space. Artificial Intelligence, 73:31–68.
- Kirsh, D. (1996). Adapting the environment instead of oneself. *Adaptive Behavior*, 4(3/4):415–452.
- Klarquist, W. and Bovik, A. (1998). FOVEA: A foveated vergent active stereo system for dynamic three-dimensional scene recovery. *IEEE Transactions on Robotics and Automation*, 14(5):755–770.
- Klingspor, V., Demiris, J., and Kaiser, M. (1997). Human-robot-communication and machine learning. *Applied Artificial Intelligence Journal*, 11:719–746.
- Koga, Y., Kondo, K., Kuffner, J., and Latombe, J.-C. (1994). Planning motions with intentions. *Computer Graphics*, 28:395–408.
- Konishi, S. M., Yuille, A. L., Coughlan, J. M., and Zhu, S. C. (2003). Statistical edge detection: Learning and evaluating edge cues. *Pattern Analysis and Machine Intelligence*, 25(1):57–74.
- Kozima, H. (1998). Attention-sharing and behavior-sharing in human-robot communication. In *IEEE International Workshop on Robot and Human Communication (ROMAN-98)*, pages 9–14.
- Kozima, H., Nakagawa, C., and Yano, H. (2002). Emergence of imitation mediated by objects. In *The Second International Workshop on Epigenetic Robotics*, Edinburgh, Scotland.

- Kubota, T. (1995). *Orientational filters for real-time computer vision problems*. PhD thesis, School of Electrical and Computer Engineering, Georgia Institute of Technology.
- Kubota, T. and Alford, C. O. (1995). Computation of orientational filters for real-time computer vision problems i: Implementation and methodology. *Real-Time Imaging*, 1(4):261–281.
- La Cascia, M., Sclaroff, S., and Athitsos, V. (2000). Fast, reliable head tracking under varying illumination: An approach based on robust registration of texture-mapped 3D models. In *IEEE Transactions on Pattern Analysis and Machine Intelligence*, volume 22(4), pages 322–336.
- Lakoff, G. (1987). *Women, Fire, and Dangerous Things: What Categories Reveal about the Mind.* University of Chicago Press, Chicago, Illinois.
- Lamiroy, B. and Gros, P. (1996). Rapid object indexing and recognition using enhanced geometric hashing. In *Proceedings of the 4th European Conference on Computer Vision*, volume 1, pages 59–70, Cambridge, England.
- Lenat, D. B. (1995). CYC: A large-scale investment in knowledge infrastructure. *Communications of the ACM*, 38(11):33–38.
- Marjanovic, M. (1995). Learning functional maps between sensorimotor systems on a humanoid robot. Master's thesis, MIT Department of Electrical Engineering and Computer Science.
- Marjanović, M. J. (2003). *Teaching an Old Robot New Tricks: Learning Novel Tasks via Interaction with People and Things*. PhD thesis, Massachusetts Institute of Technology, Department of Electrical Engineering and Computer Science, Cambridge, MA.
- Marjanović, M. J., Scassellati, B., and Williamson, M. M. (1996). Self-taught visually-guided pointing for a humanoid robot. In *From Animals to Animats: Proceedings of 1996 Society of Adaptive Behavior*, pages 35–44, Cape Cod, Massachusetts.
- Markman, E. M. (1989). *Categorization and naming in children: problems of induction*. MIT Press, Cambridge, Massachusetts.
- Martin, D., Fowlkes, C., and Malik, J. (2002). Learning to detect natural image boundaries using brightness and texture. In *Sixteenth Annual Conference on Neural Information Processing Systems*.
- Mataric, M. J. (1990). A distributed model for mobile robot environment-learning and navigation. Technical Report AITR-1228, Massachusetts Institute of Technology.
- Mataric, M. J. (2000). Getting humanoids to move and imitate. *IEEE Intelligent Systems*, 15(4):18–24
- Matsusaka, Y. and Kobayashi, T. (1999). Human interface of humanoid robot realizing group communication in real space. In *Proceedings of the Second International Symposium on Humanoid Robots*, pages 188–193.
- McCarthy, J. and Hayes, P. J. (1969). Some philosophical problems from the standpoint of artificial intelligence. In Meltzer, B. and Michie, D., editors, *Machine Intelligence 4*, pages 463–502. Edinburgh University Press.
- McDermott, J. (2000). Experiments on junctions in real images. Master's thesis, University College London.

- McGrenere, J. and Ho, W. (2000). Affordances: Clarifying and evolving a concept. In *Proceedings* of *Graphics Interface*.
- McKenna, S. and Gong, S. (1998). Real-time face pose estimation. *International Journal on Real Time Imaging, Special Issue on Real-time Visual Monitoring and Inspection.*, 4:333–347.
- Mester, R. (2000). Orientation estimation: conventional techniques and a new non-differential method. In *European Signal Processing Conference*, Tampere, Finland.
- Metta, G. (2000). Babybot: a study into sensorimotor development. PhD thesis, LIRA-Lab, DIST.
- Metta, G., Sandini, G., and Konczak, J. (1999). A developmental approach to visually-guided reaching in artificial systems. *Neural Networks*, 12:1413–1427.
- Minsky, M. (1985). The Society of Mind. Simon and Schuster, New York.
- Minsky, M. (1990). Logical vs. analogical or symbolic vs. connectionist or neat vs. scruffy. In Winston, P. H., editor, *Artificial Intelligence at MIT, Expanding Frontiers*, volume 1. MIT Press. Reprinted in AI Magazine, 1991.
- Mitchell, T. (1980). The need for biases in learning generalizations. Technical report, Computer Science Department, Rutgers University.
- Moll, M. and Erdmann, M. A. (2001). Reconstructing shape from motion using tactile sensors. In *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems*, Maui, HI.
- Mou, X. and Zue, V. (2001). Sub-lexical modelling using a finite state transducer framework. In *Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing*, Salt Lake City, Utah.
- Münch, S., Kreuziger, J., Kaiser, M., and Dillmann, R. (1994). Robot programming by demonstration (RPD) using machine learning and user interaction methods for the development of easy and comfortable robot programming systems. In *Proceedings of the 24th International Symposium on Industrial Robots*.
- Murata, A., Gallese, V., Luppino, G., Kaseda, M., and Sakata, H. (2000). Selectivity for the shape, size, and orientation of objects for grasping in neurons of monkey parietal area AIP. *Journal of Neurophysiology*, 83(5):2580–2601.
- Murphy, K. P. (1996). Passively learning finite automata. Technical report, Santa Fe Institute.
- Nayar, S. K., Nene, S. A., and Murase, H. (1996). Real-time 100 object recognition system. In *Proceedings of IEEE International Conference on Robotics and Automation*.
- Needham, A. (2001). Object recognition and object segregation in 4.5-month-old infants. *Journal of Experimental Child Psychology*, 78(1):3–22.
- Needham, A. and Baillargeon, R. (1997). Object segregation in 8-month-old infants. *Cognition*, 62(2):121–159.
- Nelson, R. C. and Selinger, A. (1998). A cubist approach to object recognition. In *Proceedings of the International Conference on Computer Vision*, pages 614–621.

- Nicolescu, M. and Mataric, M. J. (2001). Experience-based learning of task representations from human-robot interaction. In *IEEE International Symposium on Computational Intelligence in Robotics and Automation*, pages 463–468, Alberta, Canada.
- Nothdurft, H. C. (1993). The role of features in preattentive vision: Comparison of orientation, motion and color cues. *Vision Research*, 33:1937–1958.
- Oates, T. (1999). Identifying distinctive subsequences in multivariate time series by clustering. In *Knowledge Discovery and Data Mining*, pages 322–326.
- Oates, T., Eyler-Walker, Z., and Cohen, P. (2000). Toward natural language interfaces for robotic agents: Grounding linguistic meaning in sensors. In *Proceedings of the 4th International Conference on Autonomous Agents*, pages 227–228.
- Oates, T., Jensen, D., and Cohen, P. (1998). Discovering rules for clustering and predicting asynchronous events. In *Predicting the Future: AI Approaches to Time-Series Problems*, pages 73–79. AAAI Press.
- Oztop, E. (2002). *Modeling the Mirror: Grasp Learning and Action Recognition*. PhD thesis, University of Southern California.
- Oztop, E. and Arbib, M. A. (2002). Schema design and implementation of the grasp-related mirror neuron system. *Biological Cybernetics*, 87(2):116–140.
- Papert, S. (1966). The summer vision project. Memo AIM-100, MIT AI Lab.
- Paulos, E. (1999). Fast construction of near optimal probing strategies. Master's thesis, University of California, Berkeley.
- Pelz, J. B. (1995). *Visual Representations in a Natural Visuo-motor Task*. PhD thesis, Brain and Cognitive Science, University of Rochester.
- Pepperberg, I. (1990). Referential mapping: A technique for attaching functional significance to the innovative utterances of an african grey parrot. *Applied Psycholinguistics*, 11:23–44.
- Perona, P. and Malik, J. (1990). Detecting and localizing edges composed of steps, peaks and roofs. In *Proceedings of the Third International Conference of Computer Vision*, pages 52–57, Osaka, Japan.
- Pilu, M., Fitzgibbon, A., and Fisher, R. (1996). Ellipse-specific direct least-square fitting. In *IEEE International Conference on Image Processing*, Lausanne.
- Pratchett, T. (1986). The Light Fantastic. St. Martin's.
- Pratchett, T. (1989). Diggers. Transworld Publishers.
- Pratchett, T. (1990). Moving Pictures. Gollancz.
- Pratchett, T. (1991a). Reaper Man. Gollancz.
- Pratchett, T. (1991b). Witches Abroad. Gollancz.
- Pratchett, T. (1992a). Only You Can Save Mankind. Doubleday.
- Pratchett, T. (1992b). Small Gods. Gollancz.

- Pratchett, T. (1996). Hogfather. Gollancz.
- Pratchett, T. (1999). The Fifth Elephant. Doubleday.
- Quine, W. V. O. (1960). Word and object. Harvard University Press, Cambridge, Massachusetts.
- Rahimi, A., Morency, L.-P., and Darrell, T. (2001). Reducing drift in parametric motion tracking. In *roceedings of the International Conference on Computer Vision*.
- Rizzolatti, G. and Arbib, M. A. (1998). Language within our grasp. *Trends in Neurosciences*, 21:188–194.
- Ross, M. G. (2000). Exploiting texture-motion duality in optical flow and image segmentation. Master's thesis, Massachusetts Institute of Technology.
- Roy, D. (1999). Learning Words from Sights and Sounds: A Computational Model. PhD thesis, MIT.
- Roy, D., Gorniak, P., Mukherjee, N., and Juster, J. (2002). A trainable spoken language understanding system for visual object selection. In *Proceedings of the International Conference of Spoken Language Processing*.
- Roy, D., Hsiao, K., and Mavridis, N. (2003). Conversational robots: Building blocks for grounding word meanings. submitted to HLT-NAACL03 Workshop on Learning Word Meaning from Non-Linguistic Data.
- Roy, D. and Pentland, A. (2002). Learning words from sights and sounds: A computational model. *Cognitive Science*, 26(1):113–146.
- Sandini, G., Gandolfo, F., Grosso, E., and Tistarelli, M. (1993). Vision during action. In Aloimonos, Y., editor, *Active Perception*, pages 151–190. Lawrence Erlbaum Associates, Hillsdale, NJ.
- Scassellati, B. (1998). A binocular, foveated active vision system. Technical Report 1628, MIT Artificial Intelligence Lab Memo.
- Scassellati, B. (1999). Imitation and mechanisms of joint attention: A developmental structure for building social skills on a humanoid robot. In Nehaniv, C. L., editor, *Computation for Metaphors, Analogy and Agents*, volume 1562 of *Springer Lecture Notes in Artificial Intelligence*. Springer-Verlag.
- Scassellati, B. (2000). Theory of mind for a humanoid robot. In *Proceedings of the First International IEEE/RSJ Conference on Humanoid Robotics*.
- Scassellati, B. (2001). Foundations for a Theory of Mind for a Humanoid Robot. PhD thesis, MIT Department of Electrical Engineering and Computer Science.
- Schneiderman, H. and Kanade, T. (2002). Object detection using the statistics of parts. *International Journal of Computer Vision*.
- Schwartz, E. L., Greve, D. N., and Bonmassar, G. (1995). Space-variant active vision: Definition, overview and examples. *Neural Networks*, 8(7-8):1297–1308.
- Selinger, A. (2001). *Analysis and Applications of Feature-Based Object Recognition*. PhD thesis, University of Rochester, Rochester, New York.

- Sherrah, J. and Gong, S. (2000). Fusion of perceptual cues for robust tracking of head pose and position. In *Pattern Recognition*, volume 34.
- Shi, J. and Tomasi, C. (1994). Good features to track. In *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, pages 593 600.
- Sigal, L., Sclaroff, S., and Athitsos, V. (2000). Estimation and prediction of evolving color distributions for skin segmentation under varying illumination. In *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, volume 2, pages 152–159.
- Sinha, P. (1994). Object recognition via image invariants: A case study. *Investigative Ophthalmology and Visual Science*, 35:1735–1740.
- Smith-Mickelson, J. (2000). Design and application of a head detection and tracking system. Master's thesis, MIT.
- Souvignier, B., Kellner, A., Rueber, B., Schramm, H., and Seide, F. (2000). The thoughtful elephant: strategies for spoken dialog systems. *IEEE Transactions on Speech and Audio Processing*, 8(1):51–62.
- Sperry, R. W. (1952). Neurology and the mind-brain problem. *American Scientist*, 40:291–312.
- Stauffer, C. (1999). Adaptive background mixture models for real-time tracking. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, pages 246–252.
- Stauffer, C. and Grimson, W. E. L. (1999). Adaptive background mixture models for real-time tracking. In *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, Fort Colins, CO.
- Steels, L. (1996). Emergent adaptive lexicons. In *Proceedings of the fourth international conference* on simulation of adaptive behavior, pages 562–567, Cape Cod, MA.
- Strom, J., Jebara, T., Basu, S., and Pentland, A. (1999). Real time tracking and modeling of faces: An EKF-based analysis by synthesis approach. In *Proceedings of the Modelling People Workshop, in the IEEE International Conference on Computer Vision*.
- Swain, M. J. and Ballard, D. H. (1991). Color indexing. *International Journal of Computer Vision*, 7(1).
- Swerts, M., Hirschberg, J., and Litman, D. (2000). Corrections in spoken dialogue systems. In *Proceedings of the International Conference on Spoken Language Processing*, Beijing, China.
- Tarr, M. and Black, M. (1994). A computational and evolutionary perspective on the role of representation in vision. *CVGIP: Image Understanding*, 60(1):65–73.
- Thrun, S. (1998). A framework for programming embedded systems: Initial design and results. Technical Report CMU-CS-98-142, Carnegie Mellon University.
- Tomasello, M. (1997). The pragmatics of word learning. *Japanese Journal of Cognitive Science*, 4:59–74.
- Trevarthen, C. (1979). Communication and cooperation in early infancy: a description of primary intersubjectivity. In Bullowa, M., editor, *Before Speech: The beginning of interpersonal communication*. Cambridge University Press.

- Ullman, S. (1984). Visual routines. *Cognition*, 18:97–159. (Also in: Visual Cognition, S. Pinker ed., 1985).
- Vaidya, P. (1988). Geometry helps in matching. In *Proceedings of the twentieth annual ACM symposium on theory of computing*, pages 422–425. ACM Press.
- Varchavskaia, P., Fitzpatrick, P., and Breazeal, C. (2001). Characterizing and processing robot-directed speech. In *Proceedings of the International IEEE/RSJ Conference on Humanoid Robotics*, Tokyo, Japan.
- Viola, P. and Jones, M. (2001). Robust real-time object detection. Technical report, COMPAQ Cambridge Research Laboratory, Cambridge, MA.
- Vygotsky, L. (1962). Thought and language. MIT Press, Cambridge, MA.
- Wang, C. and Brandstein, M. (1998). A hybrid real time face tracking system. In *Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing*, Seattle.
- Wang, X. (1996). Planning while learning operators. In Drabble, B., editor, *Proceedings of the Third International Conference on Artificial Intelligence Planning Systems*, pages 229–236. AAAI Press.
- Weng, J., Hwang, W. S., Zhang, Y., Yang, C., and Smith, R. (2000a). Developmental humanoids: Humanoids that develop skills automatically. In *Proceedings of the first IEEE-RAS International Conference on Humanoid Robots*, Cambridge, MA.
- Weng, J., McClelland, J., Pentland, A., Sporns, O., Stockman, I., Sur, M., and Thelen, E. (2000b). Autonomous mental development by robots and animals. *Science*, 291(5504):599–600.
- Werker, J., Lloyd, V., Pegg, J., and Polka, L. (1996). Putting the baby in the bootstraps: Toward a more complete understanding of the role of the input in infant speech processing. In Morgan, J. and Demuth, K., editors, *Signal to Syntax: Bootstrapping From Speech to Grammar in Early Acquisition*, pages 427–447. Lawrence Erlbaum Associates: Mahwah, NJ.
- Williamson, M. (1995). Series elastic actuators. Master's thesis, Massachusetts Institute of Technology, Cambridge, Massachusetts, USA.
- Williamson, M. (1998a). Neural control of rhythmic arm movements. *Neural Networks*, 11(7-8):1379–1394.
- Williamson, M. (1999). *Robot Arm Control Exploiting Natural Dynamics*. PhD thesis, Massachusetts Institute of Technology, Cambridge, Massachusetts, USA.
- Williamson, M. M. (1996). Postural primitives: Interactive behavior for a humanoid robot arm. In *Fourth International Conference on Simulation of Adaptive Behavior*, pages 124–131, Cape Cod, Massachusetts.
- Williamson, M. M. (1998b). Exploiting natural dynamics in robot control. In *Fourteenth European Meeting on Cybernetics and Systems Research (EMCSR '98)*, Vienna, Austria.
- Winston, P. (1970). Learning structure descriptions from examples. In *The Psychology of Computer Vision*, pages 157–209. McGraw-Hill, New York.

- Wolfe, J. M., Oliva, A., Horowitz, T. S., Butcher, S. J., and Bompas, A. (2002). Segmentation of objects from backgrounds in visual search tasks. *Vision Research*, 42(28):2985–3004.
- Wolfson, H. and Rigoutsos, I. (1997). Geometric hashing: an overview. *IEEE Computational Science and Engineering*, 4:10–21.
- Wong, D. and Flynn, M. (1992). Fast division using accurate quotient approximations to reduce the number of iterations. *IEEE Transactions on Computers*, 41(8):981–995.
- Wren, C., Azarbayejani, A., Darrell, T., and Pentland, P. (1997). Pfinder: Real-time tracking of the human body. *IEEE Transactions on Pattern Analysis and Machine Intelligence*.
- Y. Wu, K. T. and Huang, T. S. (2000). Wide-range, person- and illumination-insensitive head orientation estimation. In *Proceedings of the International Conference on Face and Gesture Recognition*, Grenoble, France.
- Yip, K. and Sussman, G. J. (1997). Sparse representations for fast, one-shot learning. In *Proceedings* of the National Conference on Artificial Intelligence.
- Ziou, D. and Tabbone, S. (1997). Edge detection techniques- an overview. Technical report, Dept Math & Informatique. Universit de Sherbrooke, 1997.
- Zue, V. and Glass, J. (2000). Conversational interfaces: Advances and challenges. *Proceedings of the IEEE, Special Issue on Spoken Language Processing*, Vol. 88.
- Zue, V., Glass, J., Plifroni, J., Pao, C., and Hazen, T. (2000). Jupiter: A telephone-based conversation interface for weather information. *IEEE Transactions on Speech and Audio Processing*, 8:100–112.