

TR179 (KARGER)

M. D. Schroeder, PARC  
H. Faust, NSA  
N. Glick, NSA  
D. Edwards, NSA  
J. Tippet, NSA  
D. Branstad, NBS  
T. Linden, NBS  
D. Farber, UC, Irvine  
M. Hellman, Stanford  
W. Diffie, Stanford  
H. Feistel, IBM  
V. Cerf, ARPA  
S. Walker, ARPA  
S. Gaines, RAND  
C. Chandrasekaran, IBM  
L. Scheffler, PRIME  
S. Lipner, MITRE  
E. Burke, MITRE  
D. Snow, MITRE  
M. Padlipsky, MITRE  
Lt. Col. Schell, ESD  
Lt. Branin, ESD  
Capt Price, ESD  
Mr. Vetrano, ESD  
Capt Furst, ESD  
Lt. Webster, ESD  
Mr. Janofsky, ESD  
C. Murnane, NSA  
P. Schneider, IBM TM81  
P. Neumann, Stanford TR171, TR174, TR177, TR180, TM81  
J. Poplek, UCLA TR171, TR174, TR177, TR180, TM81  
C. Clingen, Honeywell TR171, TR174, TR177, TR180, TM81  
R. Montee, Honeywell TR171, TR174, TR177, TR180, TM81  
D. Parnas, Chapel Hill TR171, TR174, TR177, TR180, TM81  
W. Wulf, Carnegie TR171, TR174, TR177, TR180, TM81