

Published: 05/06/68

Identification

Calling a Procedure Whose Name is Not Explicitly Known

fake_call

W. R. Strickler

Purpose

It is sometimes necessary for a procedure to call or obtain a pointer to another procedure whose name is not known until the calling procedure is executing; for example, the name of the called procedure could be obtained from a table.

The procedure `fake_call` has as arguments the character string representations of the procedure and entry (if any) and fabricates a call to the procedure (`$entry`). The called procedure cannot have arguments.

The entry `fake_call$ptr` returns a pointer to the procedure (`$entry`).

Usage

Either

```
call fake_call (name, entry);
```

or

```
call fake_call$ptr (name, entry, p);
```

The arguments `name` and `entry` are character strings (either varying or non-varying); the argument `p` is a pointer.

A call to `fake_call` results in a call to an entry `y` in a procedure `x`; the entry `fake_call$ptr` returns a pointer to `x$y`, determined as follows:

If `entry` is not null, `x$y = name$entry`

If `entry` is null and the `name` string contains the "\$" character (`name = "alpha$beta"`), then
`x$y = alpha$beta`.

If `entry` is null and `name` does not contain the "\$" character, then `x$y = name$name`.

Implementation

The arguments name and entry are "converted" to adjustable non-varying strings (see BY.10.03) seg and sym by:

```
call cv_string$cs (name, seg);
call cv_string$cs (entry, sym);
```

If entry is null, then the index function is used to determine the location, if any, of the "\$" character in the string name. If the character is present, the appropriate substrings of name are converted into seg and sym; otherwise, name is converted into both seg and sym:

```
dcl li fixed bin (17);
li = index (seg, "$");
call cv_string$cs (seg, sym, li+1);
if li=0 then call cv_string$cs (seg, seg, 1, li-1);
```

Call generate_ptr\$initiate (see BY.13.02) to get a ptr to seg|sym; this pointer is used in building the 216-bit string which is the argument of fake_entry\$call (see BY.10.01), which forces a call to seg|sym. The following code is used to invoke generate_ptr:

```
dcl class fixed bin (17);
dcl 1 lb,
2 (pt, sp, ex) ptr;
call generate_ptr$initiate (seg, sym, lb.pt, class, 0);
```

If the ptr entry was called, lb.pt is assigned to p, and the procedure returns.

Otherwise, the following code is executed to call x\$y:

```
dcl b bit (216) based (ep);
ep = addr (lb);
lb.sp = null; lb.ex = null;
call fake_entry$call (ep->b);
return;
```