

Spoken Dialog Management with Partially Observable Markov Decision Processes

William Li
Advisors: Nicholas Roy,
Seth Teller, James Glass

Motivation

- Speech-based assistive technology for adults with limited mobility and fine-motor skills at The Boston Home (TBH)
- High automatic speech recognition (ASR) error rates due to fatigue, dysphonia, and dysarthria
- Approach: Use **dialog** (requests for repetition, confirmation, or clarification) to infer user goals

ASR Concept Error Rates

Lab Speakers	Error Rate	TBH Speakers	Error Rate
lab01	4.0%	tbh01	12.0%
lab02	7.4%	tbh02	3.7%
lab03	10.9%	tbh03	5.1%
lab04	4.3%	tbh04	34.6%
lab05	12.7%	tbh05	57.1%
lab06	3.3%	tbh06	26.1%
lab07	3.8%	tbh07	9.4%
mean	5.7%	mean	25.1%
std. dev.	4.5%	std. dev.	19.5%





Bedside (top) and wheelchair (bottom) speech systems

Spoken Dialog System POMDP Formulation

Entity	Description	Example	Function	Description	Example
States, G	User goal	<turn-on-television> <today's-weather>	Transition function, $T(g' g, a)$	Effect of system action on user goal	$T(g_i g_j, a) = 1$, if $i = j$ $T(g_i g_j, a) = 0$, if $i \neq j$
Actions, A	System response	<show-today's-weather> <ask-user-to-repeat>	Observation function, $\Omega(z g, a)$	Mapping of ASR hypotheses to user intents	$\Omega(\text{"yes"} \text{<today's-weather>}, \text{<confirm-today's-weather>}) = 0.9$
Observations, Z	Speech recognition hypotheses	<"what is today's weather">, confidence: 0.8	Reward function, $R(g, a)$	Rewards for state-action pairs	$R(\text{<today's-weather>}, \text{<show-today's-weather>}) = +10$ $R(\text{<today's-weather>}, \text{<turn-on-television>}) = -100$
Belief, b	Probability mass function over states	{ 'turn-on-television': 0.9, 'today's-weather': 0.1 }	Policy, $\Pi()$	Mapping of beliefs to system actions	$\Pi([P(\text{<today's-weather>} = 0.99, \dots)]) = \text{<show-today's-weather>}$

$$\text{Belief update: } b_T(g') = \eta \cdot \Omega(z | g_{T-1}, a) \sum_g T(g' | g, a) b(g)$$




Belief state visualization (left) and user interface (right)


- Formulation as partially observable Markov decision process (POMDP): The agent (dialog manager) receives noisy observations (speech recognition hypotheses) of the hidden state (user's goal) and chooses actions (dialog responses)
- System functions: Information (weather, activities schedules, and menus) and communication (hands-free Skype calls)

Utterance Confidence Scoring

- Confidence scores encode the probability of hypothesis correctness
- Adaptive boosting (AdaBoost) used on annotated dataset of 2701 utterances for feature selection
- Acoustic, language-model, syntactic, semantic, and corpus-level features



AdaBoost performance by iteration



Histograms of correct (left) and incorrect (right) hypotheses

- Observation model can then be expressed as:

$$\Omega(z_d, z_c | s, a) = P(z_d | s, a) P(z_c | z_d, s, a)$$

$$P(z_c | z_d, s, a) = \begin{cases} P(z_c | \text{correct}), z_d \mapsto s \\ P(z_c | \text{incorrect}), \text{otherwise} \end{cases}$$


Experimental Results

- Comparison of threshold- and POMDP-based dialog systems using $\Omega(z | g, a)$ as simulated user model

Comparison of Dialog Strategies (50000 simulated dialogs)

Dialog Manager	Dialog Completion			Number of Turns	
	correct	incorrect	error rate	turns	std. error
argmax(State)	45920	4080	8.16%	1.07	0.02
threshold = 0.50	46589	3411	6.82%	2.60	0.07
threshold = 0.85	46976	3024	6.05%	5.44	0.14
threshold = 0.95	46179	3821	7.64%	10.39	0.17
POMDP-confidence	48022	1978	3.96%	1.23	0.00
POMDP+confidence	49421	579	1.16%	1.95	0.01

- Experiments with human participants:



Completion times for 20 dialog scenarios

Dialog Completion Rates for TBH speakers


	completed dialogs (/20)	
	POMDP	THRESHOLD
tbh01	18	13
tbh02	17	16
tbh03	20	20
tbh04	19	18
tbh05	13	5
tbh06	18	10
tbh07	17	10

Conclusions

- End-to-end spoken dialog system designed to handle challenging speech input
- SDS-POMDP with confidence scoring outperforms threshold-based approaches for speakers with high error rates

Possible future directions:

- Larger/factored state space/system functions (e.g. robot mobility and manipulation)
- More nuanced clarification questions (using word- or sub-concept-level confidence scoring)



Legend: A: ['weather', ['today']]; B: ['weather', ['monday']]; C: ['weather', ['sunday']]