Index

This index lists the concepts and terms used in this document. References with boldface page numbers are defining references.

A

accessor functions, 62
acknowledgment (ACK), 35, 440
active message layer (CMAML), **215**
active messages, 15, 215, **217**
  auxiliary functions, 299
  format, **217**
  handler functions, **293**
  why different types, 223
arrays, 28, 36
  storage of, 30
ARRPOP-class messages, 224, **226**
asynchronous functions, 14
asynchronous message passing, **73**
  restrictions, 79
availability functions, 63

B

block data transfers, 16, 216, 273
block serial arrays. *See* serial arrays
block transfers. *See* block data transfers
blocking and non-blocking transfers, 278
blocking functions, 14, 35
  See also cooperative message passing
broadcast functions, **141**
broadcast operations, 136
buffered I/O, 326
buffers, 36, 75

C

C, compatibility with, **29**
C++, compatibility with, **29**
C*, 29, 31
  parallel arrays in, 39
callback functions
  See also handler functions
  in C and Fortran, **79**
  properties and restrictions, 79
channels. *See* virtual channels
CM Fortran, 29, 30
  compatibility with, **29**
  parallel arrays in, 39
CM-5
  architecture, 23
  execution model, 27
  system, components of, 23
CMAM, Berkeley Active Message library, **215**
CMAML, 17, **215**
  extending, 429
  types of message transfer, **215**
CMAML informational functions, 225, 263
CMAML priority system, 222
CMMD application, definition of, 13
CMMD defaults, setting the matching function, **389**

Copyright © 1995 Thinking Machines Corporation

CMNA (Connection Machine Network Accessors), 429
  programming for CM-5 vs. CM-5E, 432
CMOST, 7
communications protocols, 10
compilers, 7
concatenation operations, 137, **141**
Control Network, 7, 23
cooperative message passing, **35**

D

Data Network, 7, 23
data packet. *See* packets
data parallel programming, 5
data storage, 28
data stream, 221, 440
deadlocks, 25
defaults, changing, 387
dependencies, software. *See* software dependencies
device independence, 307
direction and inclusion, of scan operations, **164**, **171**, **178–179**
DPEAC, 32
  parallel arrays in, 39

E

error handling, **373**
  I/O, **323**
execution
  model of CM-5, 27
  model with VUs, 30
  model without VUs, 29
  of CMMD programs, 26
exit code, returned by host/node programs, **405**

F

flow of control, 443
Fortran 77, compatibility with, **29**

G

gather/scatter operations, 28, 44
global messages, **135**
global synchronization functions, **192**
global, data parallel programs, 24
global-local programs, 26, 30
guidelines, programming, 17

H

handler functions, **78**, 221
  for hardware tags, 430
  of Active Messages, 217, **293**
  properties and restrictions, **297**, 436
handshake, 15, 107, **440**
hardware tags, 430, 439
  handlers on Cypress platforms, 436
header files, 12
host/node programming model, 27, 399
  broadcasts and concatenation, **404**
  enabling, **402**
host/node programs, exit code returned by, **405**
hostless programming model, 27

I

I/O, 10, **307**
  append mode for global files, **323**
  buffered stream support, **326**
  CM Fortran, 362
  default file descriptor mode, **322**
  error handling, **323**
  file descriptors, **308**
  global independent mode, (`CMMD_independent`), **313**
  global synchronous broadcast mode, (`CMMD_sync_bc`), **315**
  global synchronous sequential mode, (`CMMD_sync_seq`), **319**
  large file support functions, **326**

Version 3.3, April 1995
Copyright © 1995 Thinking Machines Corporation

local independent mode, (CMMD_local), **311**
modes, 10, **308**
other UNIX support, **329**
physical (device-dependent) files, **367**
physical blocking factor, **368**
I/O server, in host/node programs, **405**
interrupt handler, 73, 444
interrupts, 190
interrupts and polling, **199**, 443
interrupts versus polling, (at CMAML layer), **201**

L

languages, supported for CMMD programs, **29**
local programs, 25
lock-step, 5
logical address, 27
long active messages, 216, 224

M

magic cookies, 224, 249
main thread of control, (CMAML layer), **443**
matching function, 64, 94, **388**
CMMD default, **389**
memory maps, 28
message accessor functions, 62
message completion functions, 93
message control block (MCB), **74**, 79, 91
accessor functions, 92
message-pending function, 62
MIMD programming, 6

N

nodal I/O, in CM Fortran, **362**
node identifiers, 27, 61
node information, functions, **61**, **92**

O

order of message delivery, 76

P

packets, 215, 439
parallel array, **29**, 30, 38
parallel array sections, 40
parallel prefix operations. *See* scan operations
parallel programming, 5
parallel variables, 25
partition manager (PM), 7, 26
partition size defaults, 387
pcopies, 16
pending message functions, **92**, 93
polling (and interrupts), **199**, 443
polling versus interrupts, (at CMAML layer), **201**
popping data, 249
port objects, **274**
data structure, **280**
Prism, 8
processing node, 24
program execution, 27
program termination, and async operators, **80**
programming guidelines, 17
programming models, 24, 27

R

receive channel, of a virtual channel, **108**
receive port, 16, 94, 109, 273, **274**
availability, 63
data structure, **280**
reduce functions, **144**
reduce operations, 137, **139**
from nodes to host, 404
Remote Procedure Call (RPC) message, **219**
Reply message, **219**
Request message, **219**
request to send (RTS), 35, 388, 440
rport. *See* receive port

S

safety defaults, 387

Copyright © 1995 Thinking Machines Corporation

scalability, 25
scan operations, 137, **139**
  `direction` and `inclusion` of, **164**, **171**, **178–179**
  `smode` and `sbit` arguments, **164**, **171–172**, **179**
scopies, 16
segmented scan operations, **140**
send channel, of a virtual channel, **108**
send port, 94, 109
  availability, 63
serial arrays, **28**, 38
short active messages, 215
`smode` and `sbit` arguments, scan operations, **164**, **171–172**, **179**
sockets, 355
software dependencies, 12
SPMD programming, 6
stencil, 78, 107
stride, 28, 41
strided serial array, **28**
synchronization, **189**
  among nodes, 25, 35
synchronous message passing. *See* cooperative message passing
system
  components of, 7, 23
  user's view of, 9

T

task parallel programming, 6
termination
  and `async` operators, **80**
  of a host/node program, 405
thread of control, 25
  (CMAML layer), **443**
timers, **379**

U

UNIX I/O, support for, **329**

V

VA-class messages, 224, **225**
VAPOP-class messages, 224, **225**
vector array. *See* vector serial arrays
vector processor unit (VU). *See* VU
vector serial arrays, 28, 41
virtual channels, 15, **107**
  functions, **112**
  restrictions, 116
virtual processors, 5
VU, 7, 8, 24

W

waiting, for asynchronous messages, **94**

Version 3.3, April 1995
Copyright © 1995 Thinking Machines Corporation