Index

Symbols

*Lisp, 35
/etc/cm/configuration file, 49
/usr/spool/djm file, 48, 53
~c, 25
~Ctrl-B, 19, 25
~Ctrl-C, 19, 25
~Ctrl-Y, 25
~Ctrl-Z, 25
~Q, 25

A

administration, 39
  allowing dedicated access to the system, 59
  configuring partitions, 55
  configuring queues, 57
  dedicated mode, 16
  DJM daemons, 40, 41
  essential files, 48
  initial startup, 53
  limiting foreign access to the system, 62
  privileges, 52
  reconfiguring DJM, 56, 57
  starting DJM, 54, 55
  stopping DJM, 59
assign_scrambler script, 53
authentication key, 51, 53
automating reconfigurations, 57

B

background, 1
batch jobs, 6, 9

C

cancelling planned reconfigurations, 57
chaining jobs, 27
checking configuration status, 56
checkpoints, 64
commands
  for users, 3
  jconnect, 68
  jdel, 70
  jmsg, 72
  job, 74
  job mgr, 52
  jop, 82
  jop mgr, 52
  jrun, 92
  js, 96
  jstat, 97
  jsub, 9, 118
  jwait, 128
configuration files, 48
configuring DJM, 39
configuring partitions, 55
configuring queues, 57
current partition, 56

D

daemons, 40, 41
dedicated jobs, 16
dedicated mode, 16, 45, 59
dedicated_submit_by_limit field, 61
default queue, 2
defining the current partition, 146
defining the future partition, 148

Copyright © 1993 Thinking Machines Corporation

deleting a job request, 28
DJM
  administration, 39
  configuration files, 48, 51
  configuring, 53
  daemons, 40
  definition of, 1
  functional layout, 41
  job files, 51
  log files, 50
  managers, 52
  modes, 45
  operators, 52
  partitions, 45
  PID files, 51
  queues, 46
  scheduler, 55
  scheduling, 47
  scores, 47, 48
  starting, 53
  using, 1
DJM configuration file, 155
djm.conf file, 49, 51
djm.cookie file, 49, 51, 53
djm_*daemon-name***_pid.***hostname* file, 48
djm_execd, 40
djm_fingerd, 40
djm_master, 40, 64, 65, 156
djm_shepherd, 40
djm_startup, 156
djm_startup script, 54

E

editing DJM files, 53
escape commands, 24, 93
examples
  *Lisp, 35
  CM/AVS, 34
  configuring a queue, 57
  creating a partition, 55
  hello_world, 4, 11
  jrun, 20
  jstat, 8, 98
  jstat partition, 57
  jsub, 10
  of initial DJM startup, 53
  of log entries, 50
  Prism, 22
  reconfiguring for dedicated mode, 59
  sample job file, 151
  sending messages as output, 26
  simple, 4, 20
  stopping DJM, 59
  waiting for an event, 27

F

FIFO queue policy, 54
finding information, 8
foreground, 1
foreign jobs, 61
  limiting access, 62
foreign queue, 2, 46
future partition, 56

G

global configuration file, 48, 49, 54, 131

H

halted mode, 45
hello.c, 4

I

interactive jobs
  escape commands, 24
  submitting, 19

J

jconnect, 25, 68
jconnect options, 68
jdel, 28, 70
jdel options, 70
jid file, 49
jmsg, 26, 72
jmsg options, 72

Copyright © 1993 Thinking Machines Corporation

job, 74
  commands, 76
job files, 51
job ID, 10
job mgr command, 52
job options, 76
job submission, See also submitting jobs, 6
jobs, 3
  how scheduled, 47
jop, 43, 82
  commands for configuration, 43
  commands for controlling queues, 44
  commands for controlling user jobs, 44
  miscellaneous commands, 43
jop commands, 82
jop freeze command, 57, 59, 82
jop mgr command, 52
jop mgr exit command, 59
jop reconfig command, 59, 84
jop reconfig options, 84
jop reload command, 58, 89
jop unfreeze command, 56, 58, 60, 83
jop wipe_reconfig command, 57, 88
jrun, 7, 19, 92
  options, 24, 93
js, 96
jstat, 8, 97
  limits subcommand, 17
  partition command, 57
jstat commands, 98
jstat options, 97
jstat partition command, 56
jsub, 6, 9, 75, 118
  -mail_*xxx* options, 18
  -priority, 18
  dedicated, 16
jsub options, 12, 120
jwait, 27, 128
jwait options, 128

K

-kill and **-nokill**, **reconfig** options, 60

L

load balancing, 7
load-balancing capability, 1
-lock, **reconfig** option, 61
log files, 50
log.*x* file, 48

M

managers, 52

N

newdjmlog script, 53
normal mode, 16, 45
NQS compatibility, 2, 126, 161

O

old/*jid* file, 49
operators, 52
output, 11, 26

P

partition configuration file, 48, 49, 145
partitions, 55
  current, 56
  future, 56
PID files, 51
priorities for jobs, 18
Prism, 22
privileges, 52

Q

qsub, 6
queue configuration files, 48, 49, 137
queueing policy, 54
queues, 46
  at initial installation, 54
  configuring, 57
  foreign, 46
  search order, 46
  specifying, 16

Copyright © 1993 Thinking Machines Corporation

R

reconfig, **jop** subcommand, 55, 59
reconfiguration, 56, 59
running DJM, 53

S

sample programs
  hello_world, 4
  simple (batch), 4
  simple (interactive), 20
scheduler, 55
  unfreezing, 56
score equations, 141
scores, 47, 48
  equations for queued jobs, 141
  equations for running jobs, 143
scripts
  assign_scrambler, 53
  djm_startup, 54
  newdjmlog, 53
search_order field, 46, 58
shell scripts
  invoking *Lisp, 35
  invoking CM/AVS, 34
  invoking Prism, 22
shells, choosing, 17
simple.fcm, 4
soft resource limits, 7
soft scheduling, 47
starting DJM, 53
stopping DJM, 59
submitting jobs, 6
  dedicated jobs, 16
  from the command line, 10, 20
  interactive jobs, 19
  required parameters, 7
  soft limits, 47
  specifying a queue, 16
  via shell scripts, 10, 17, 21
system configuration file, 51

U

unfreezing the scheduler, 56, 58

W

wipe reconfig, **jop** subcommand, 57

Version 2.0, November 1993
Copyright © 1993 Thinking Machines Corporation