

TO: Distribution
 FROM: Grace Ackerman-Lewis
 DATE: January 14, 1975
 SUBJECT: Installation of MSS 24.5

The hardcore system MSS 24.5 was installed on Monday, January 13, 1975 at 0330. This system includes: The addition of new IOI-compatible printer software; a fix for a minor printer code conversion bug; elimination of non_system users from ACL of phcs_ on system tape; a fix for a bug which could cause lost input or output during the reporting of list index at channel termination; a fix for an I/O interfacer bug which occurred at the computation of the DCW list connect index; fixes for several PL/1 bugs; implementation of new call push return sequences; implementation of new tracing features for the trace command; removal of status permission on >pdd and initializers process directory to *.*.*; addition of the name s11 to system_library_1; a change to make_branches\$delete to turn off the safety switch before deleting the branch; a fix for a bug in wired_fim causing salvager death. The system libraries were updated on Tuesday, January 14, 1975 at 0321.

I. System Change Log

Chng MCR

Change

1404 854,913

Addition of new IOI-compatible printer software. A fix for a minor printer code conversion bug.

1405 871,879

Removal of status permission on >pdd and initializers process directory to *.*.*. Addition of the name s11 to system_library_1. A change to make_branches\$delete to turn off the safety switch before deleting the branch.

1407 - Fix masking bug in wired_fim which caused salvager death.

 Multics Project internal documentation. Not to be reproduced or distributed outside the Multics Project.

I. System Change Log (continued)

Change MCRChange

1408 870 Fixes for several PL1 bugs. Implementation of new call push return sequences. Implementation of new tracing features for the trace command.

1409 941,944

A fix for a bug which could cause lost input or output during the reporting of list index at channel termination. A fix for an I/O interfacer bug which occurred at the computation of the DCW list connect index.

II. Segment Change Log

<u>Segment Name</u>	<u>Bound Segment</u>	<u>Change #</u>
init_branches.pl1	bound_init_2	R 1405
init_hardware_gates.pl1	bound_temp_2	R 1404
init_printer.pl1	bound_printer_util_	A 1404
io_init.pl1	bound_io_init	R 1404
ioi_connect.pl1	bound_iom_active	R 1409
ioi_get_status.pl1	bound_iom_active	R 1409
ioi_getwork.pl1	bound_iom_wired	R 1409
ioi_interrupt.pl1	bound_iom_wired	R 1409
make_branches.pl1	bound_init_2	R 1405
pl1_operators_.mexp	bound_sss_wired_	R 1408
pr2_conv.alm	bound_printer_util_	A 1404
pr3_conv.alm	bound_printer_util_	A 1404
printer_dcm.pl1	bound_iom_active	D 1404
printer_images.alm	bound_active_1	D 1404
printer_images.alm	bound_printer_util_	A 1404
printer_init.pl1	bound_io_init	D 1404
printer_status.pl1	bound_iom_wired	D 1404
prt_300_conv.alm	bound_iom_active	D 1404
prt_ccnv.alm	bound_iom_active	D 1404
prt_conv.alm	bound_printer_util_	A 1404
prt_dcm_.mexp	-	D 1404
trace.pl1	bound_iom_wired	R 1404
trace_init.pl1	bound_temp_1	R 1404
wired_fm.alm	-	R 1407
 <u>Include Files</u>		
wired_ioi_data.incl.pl1		R 1409

Bindfiles

II. Segment Change Log (continued)

<u>Segment Name</u>	<u>Bound Segment</u>	<u>Change #</u>
bound_active_1.bind		R 1404
bound_io_init.bind		R 1404
bound_iom_active.bind		R 1404
bound_iom_wired.bind		R 1404
bound_printer_util_.bind		A 1404

III. Bound Segment Change Log

<u>Bound Segment</u>	<u>Change</u>
bound_init_2	replaced: make_branches init_branches
bound_sss_wired_	replaced: pl1_operators_
bound_temp_1	replaced: trace_init
bound_temp_2	replaced: init_hardcore_gates
bound_printer_util_	added: init_printer printer_images prt_conv pr3_conv pr2_conv
bound_iom_wired	replaced: ioi_interrupt ioi_getwork trace deleted: printer_status
bound_active_1	deleted: printer_images
bound_io_init	replaced: io_init deleted: printer_init
bound_iom_active	replaced: ioi_connect ioi_get_status deleted: printer_dcm prt_ccnv prt_300_conv

IV. Header Change Log

1404,1406 The hardcore header was changed to delete: the name printer_images from bound_active_1, the name printer_status from bound_iom_wired, the names printer_dcm, prt_ccnv and ioi_buffer from bound_iom_active; to delete the fabricate segments prthdr, prtseg, and char_counts; to add the new segment bound_printer_util; to delete the segment prtdcm; to eliminate non-system users from ACL of phcs_ on system tape.