

TO: Distribution

FROM: Grace Ackerman-Lewis

DATE: February 13, 1976

SUBJECT: Installation of MSS 27.6

The hardcore system MSS 27.6 was installed on Tuesday, January 20, 1976 at 08:55. This system includes: a new gate entry in hcs\_; the addition of new syserr features to hardcore, including error\_code\_expansion and a new logging mechanism; the removal of all combined\_link: no; statements from the hardcore header in preparation for the new mst\_generator; a modification to the disk DIM to prevent it from searching queues when not needed; new error\_table\_ entries; a change so that retrievals of directories will now attempt to move quota to a retrieved directory; fixes for several bugs in RCP; a change to cause all I/O errors detected by iol\_ to be logged in the syserr log; a faster version of tty\_write. The system libraries were updated on Tuesday, January 20, 1976 at 14:44.

### I. System Change Log

#### Chng MCR

#### Change

- # 1539 1362 Install the hardcore portion of the new syserr features, including binary data in log, error code expansion and new logging mechanism.
- # 1540 1571 Modify the disk DIM to eliminate searching queues when not needed.
- # 1541 1503 Add a new error\_table\_ entry for no working dir.
- # 1542 1542 Change so that retrievals of directories will now attempt to move quota to a retrieved directory.
- # 1543 1517 Fix several bugs in RCP. 1) Unassign a device that was attached and explicitly assigned. 2) Unload tape when write ring is correct. 3) Interpret special tape status in a better way. 4) Ignore tape drive characteristics when a specific drive is requested. 5) Support 400 model tape drives.

-----

Multics Project Internal documentation. Not to be reproduced or distributed outside the Multics Project.

## I. System Change Log (continued)

<u>Chng MCR</u>	<u>Change</u>
# 1544 1523	Make a change to log in the syserr log all I/O errors that are detected by lol_.
# 1545 1537	Speed up tty_write
# 1546 1581	Install a new gate entry, hcs_\$star_dir_list, which returns only items that will be stored in directories under the new storage system.
# 1547 -	Recompile all hardcore gates with the new include file gate_macros.incl.pl1.

## II. Segment Change Log

<u>Segment Name</u>	<u>Bound Segment</u>	<u>Change #</u>
absentee_real_init_admin.pl1	bound_command_loop_	R 1547
admin_gate_.mexp	-	R 1547
audit_gate_.mexp	-	R 1547
backup_load_dir_list.pl1	bound_reloader_	R 1542
bk_input.pl1	bound_reloader_	R 1542
copy_on_write_handler.pl1	bound_command_loop_	A 1542
disk_control.pl1	bound_page_control	R 1540
disk_init.pl1	bound_temp_1	R 1540
dn355.pl1	bound_355_wired	R 1545
dn355_messages.aln	bound_355_wired	R 1545
error_table_.et	-	R 1541
expand_path_.pl1	-	R 1541
hcs_.mexp	-	R 1547
hphcs_.mexp	-	R 1547
init_hardware_gates.pl1	bound_temp_2	R 1539
lol_.mexp	-	R 1547
lol_assign_dte.pl1	bound_lom_active	R 1544
lol_interrupt.pl1	bound_lom_wired	R 1544
lol_set.pl1	bound_lom_active	R 1544
makestack.pl1	bound_file_system	R 1541
net_.mexp	-	R 1547
netp_.mexp	-	R 1547
oc_data_init.pl1	bound_temp_1	R 1539
ocdcm_.pl1	bound_error_wired	R 1539
parity_fault.pl1	bound_error_active	R 1539
phcs_.mexp	-	R 1547
rcp_.mexp	-	R 1547
rcp_check_attach_.pl1	bound_rcp_	R 1543
rcp_device_info_.pl1	bound_rcp_	R 1543

## II. Segment Change Log (continued)

Segment Name	Bound Segment	Change #
rcp_priv_.mexp	-	R 1547
rcp_sys_.mexp	-	R 1547
rcp_tape_.pl1	bound_rcp_	R 1543
rcp_unassign_.pl1	bound_rcp_	R 1543
restart_fault.alm	-	R 1543
ring1_syserr.pl1	bound_error_active	D 1539
star_.pl1	bound_file_system	R 1546
syserr.alm	bound_error_wired	R 1539
syserr_copy_paged.pl1	bound_error_active	A 1539
syserr_data.alm	-	R 1539
syserr_log_check.pl1	bound_error_active	A 1539
syserr_log_copy.pl1	bound_file_system	R 1539
syserr_log_init.pl1	bound_temp_1	R 1539
syserr_logger.pl1	bound_error_wired	R 1539
syserr_real.pl1	bound_error_wired	R 1539
system_privilege_.mexp	-	R 1547
tty_.pl1	bound_lox_	R 1545
tty_ctl.mexp	bound_tty_active	D 1545
tty_free.pl1	bound_355_wired	R 1545
tty_index.pl1	bound_tty_active	R 1545
tty_init.pl1	bound_lo_init	R 1545
tty_lock.pl1	bound_355_wired	R 1545
tty_read.pl1	bound_tty_active	R 1545
tty_tables.mexp	bound_tty_active	A 1545
tty_fn1200_edit_.pl1	bound_command_loop_	D 1545
tty_util_.alm	bound_tty_active	A 1545
tty_write.pl1	bound_tty_active	R 1545
user_real_init_admin_.pl1	bound_command_loop_	R 1546

## Include Files

dn355_data.incl.pl1	R 1545
dn355_mailbox.incl.pl1	R 1545
dskdcl.incl.pl1	R 1540
gate_macros.incl.mexp	R 1547
oc_data.incl.pl1	R 1539
syserr_actions.incl.pl1	A 1539
syserr_data.incl.pl1	R 1539
syserr_log.incl.pl1	R 1539
syserr_msg_lol.incl.pl1	A 1544
syserr_msg_parity.incl.pl1	A 1539
tty.incl.pl1	R 1545
tty_convert.incl.pl1	A 1545
wired_lol_data.incl.pl1	R 1544

## Bindfiles

bound_command_loop_.bind	R 1545
--------------------------	--------

## II. Segment Change Log (continued)

<u>Segment Name</u>	<u>Bound Segment</u>	<u>Change #</u>
bound_error_active.bind		R 1539
bound_error_wired.bind		R 1539
bound_file_system.bind		R 1539
bound_lom_active.bind		R 1544
bound_tty_active.bind		R 1545

## III. Bound Segment Change Log

<u>Bound Segment</u>	<u>Change</u>
bound_lom_active	replaced: lol_assign_dte lol_set
bound_lom_wired	replaced: lol_interrupt
bound_rcp_	replaced: rcp_check_attach_ rcp_tape_ rcp_unassign_ rcp_device_info_
bound_reloader_	replaced: backup_load_dir_list bk_input
bound_page_control	replaced: disk_control
bound_file_system	replaced: makestack star_ syserr_log_copy
bound_error_active	added: syserr_copy_paged syserr_log_check replaced: parity_fault deleted: ring1_syserr
bound_temp_1	replaced: disk_init oc_data_init syserr_log_init
bound_error_wired	replaced: ocdcm_ syserr syserr_logger syserr_real
bound_command_loop_	added: copy_on_write_handler replaced: user_real_init_admin_ daemon_real_init_admin_

## III. Bound Segment Change Log (continued)

Bound Segment	Change
	deleted: absentee_real_init_admin_ tty_tn1200_edit_
bound_iox_	replaced: tty_
bound_io_init	replaced: tty_init
bound_355_wirad	replaced: dn355 dn355_messages tty_free tty_lock
bound_tty_active	added: tty_tables tty_util_ replaced: tty_write tty_read tty_index deleted: tty_ctl
bound_temp_2	replaced: init_hardcore_gates

## IV. Header Change Log

The hardcore header was changed to: remove all "combined\_link: no;" statements; to delete the name ring1\_syserr from, and add the names syserr\_copy\_paged and syserr\_log\_check to bound\_error\_active; to change the current length of (d191\_seg, e191\_seg, d190\_seg, e190\_seg, & d181\_seg) from 368 to 400;; to add the names tty\_tables and tty\_util\_ to, and delete the name tti\_ctl from, bound\_tty\_active; to add the segments tty\_tables and tty\_util\_ and delete the segment tty\_ctl.