

Identification

The EPL run-time routine, strcmp_
strcmp_\$leb_
strcmp_\$lec_
strcmp_\$ltb_
strcmp_\$ltc_
strcmp_\$eqb_
strcmp_\$eqc_
strcmp_\$neb_
strcmp_\$nec_
strcmp_\$gtb_
strcmp_\$gtc_
strcmp_\$geb_
strcmp_\$gec_

Ruth A. Weiss

Purpose

Strcmp_ implements the PL/I comparison operations for strings.

Usage

The calls are listed below with statements listing their effect. B1 and b2 are bit strings and c1 and c2 are character strings. Strcmp_ accepts either varying or non-varying strings as arguments. The result (answer) of a comparison is a bit string of length one; the value is '1' b if the relationship is true or '0' b if it is false.

```
call strcmp_$leb_(b1,b2,answer)
```

```
answer=(b1≤b2)
```

```
call strcmp_$lec_(c1,c2,answer)
```

```
answer=(c1≤c2)
```

```
call strcmp_$ltb_(b1,b2,answer)
```

```
answer=(b1<b2)
```

```
call strcmp_$ltc_(c1,c2,answer)
```

```
answer=(c1<c2)
```

```
call strcmp_$eqb_(b1,b2,answer)
```

```
answer=(b1=b2)
```

```
call strcmp_$eqc_(c1,c2,answer)
      answer=(c1=c2)
call strcmp_$neb_(b1,b2,answer)
      answer=(b1≠b2)
call strcmp_$nec_(c1,c2,answer)
      answer=(c1≠c2)
call strcmp_$gtb_(b1,b2,answer)
      answer=(b1>b2)
call strcmp_$gtc_(c1,c2,answer)
      answer=(c1>c2)
call strcmp_$geb_(b1,b2,answer)
      answer=(b1≥b2)
call strcmp_$gec_(c1,c2,answer)
      answer=(c1≥c2)
```

Errors

If any argument is not a string, will stop on oct 0.