

CONCRETE COLUMN SCHEDULE																										
C-P25	C-P24	C-P23	C-P22	C-P21	C-P20	C-P19	C-P18	C-P17	C-P16	C-P15	C-P14	C-P13	C-P12	C-P11	C-P10	C-P9	C-P8	C-P7	C-P6	C-P5	C-P4	C-P3	C-P2	C-P1	COLUMN NUMBER	
349.71	333.26	311.52	309.27	327.45	$\triangle$ 342.17	318.92	286.44	270.37	274.71	214.18	235.28	239.19	223.61	$\triangle$ 190.98	184.55		$\triangle$ 147.68	155.01	161.51	184.50	108.86	102.36	95.02		"X" COORDINATE	
175.79	169.29	142.97	114.31	84.28	$\triangle$ 77.08	188.72	202.02	188.97	157.13	148.48	157.13	184.76	202.02	188.65	171.60	$\triangle$	121.60	141.99	160.04	80.60	179.00	160.94	140.56	$\triangle$	"Y" COORDINATE	
11.81'	31.33' $\triangle$	69.53'	11.52'	50.86'	60.00'	137.36'	178.11'	95.70'	$\triangle$ 157.71'	22.29'	22.24'	84.30'	1.84'	42.59'	140.29'		70.20'	70.20'	70.20'	$\triangle$ 0'	70.20'	70.20'	70.20'		AXIS ROTATION	
SIZE / TYPE	REINFORCING	SIZE / TYPE	REINFORCING	SIZE / TYPE	REINFORCING	SIZE / TYPE	REINFORCING	SIZE / TYPE	REINFORCING	SIZE / TYPE	REINFORCING	SIZE / TYPE	REINFORCING	SIZE / TYPE	REINFORCING	SIZE / TYPE	REINFORCING	SIZE / TYPE	REINFORCING	SIZE / TYPE	REINFORCING	SIZE / TYPE	REINFORCING	SIZE / TYPE	REINFORCING	FLOOR LEVEL
24"x36" / TYPE IV	19#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#11	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	FOURTH FLOOR EL. 61.00'
24"x36" / TYPE IV	19#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#11	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	LECTURE HALL ROOF EL. 45.90'
24"x36" / TYPE IV	19#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#11	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	THIRD FLOOR EL. 44.00'
24"x36" / TYPE IV	19#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#11	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	RAISED GARDEN EL. 38.40'
24"x36" / TYPE IV	19#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#11	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	FIRST FLOOR EL. 21.57'
24"x36" / TYPE IV	19#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#11	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	BASEMENT FLOOR EL. 5.90' MAX. BOT. OF SLAB/BM
24"x36" / TYPE IV	19#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#11	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#8	PARKING LEVEL 1 EL. -5.60' MAX.
24"x36" / TYPE IV	19#8	24"x24" / TYPE I	12#8	24"x24" / TYPE I	12#11	24"x24" / TYPE I	12#8	24"x24" / TYPE I																		

[illegible][illegible]

PROJECT NUMBER
9801
SCALE
NONE
DRAWN BY

DATE
JULY 30, 2001
SHEET NUMBER

S7-1.5

SUPPLEMENTAL INSTRUCTIONS #89
MARCH 13, 2002

© FRANK O. GEHRY & ASSOCIATES, INC.